

1. Vigdahl RL, Tukey RH. Mechanism of action of novel anti-inflammatory drugs diflumidone and R-805. **Biochem. Pharmacol.** 26: 307-311, 1977. PMID: 403918
2. Tukey RH, Billings RE, Tephly TR. Separation of oestrone UDP-glucuronyltransferase and p-nitrophenol UDP-glucuronyltransferase activities. **Biochem J.** 171: 659-663, 1978. PMID: 96815
3. Billings RE, Tephly TR, Tukey RH. The separation and purification of estrone and p-nitrophenol UDP-glucuronyltransferase activities. In: Proceedings of Conjugation Reactions in Drug Biotransformation (A. Aitio, ed.), 1978, pp. 365, Elsevier/North-Holland Biomedical Press, Amsterdam, New York, Oxford.
4. Tukey RH, Billings RE, Autor AP, Tephly TR. Phospholipid-dependence of oestrone UDP-glucuronyltransferase and p-nitrophenol UDP-glucuronyltransferase. **Biochem J.** 179: 59-65, 1979. PMID: 112996
5. Tukey RH, Tephly TR. Phospholipid dependency of purified estrone and p-nitrophenol UDP-glucuronyltransferases. **Life Sci.** 27: 2471-2476, 1980. PMID: 6783797
6. Tukey RH, Tephly TR. Estrone and 4-nitrophenol UDPglucuronyltransferases (Rabbit liver). **Methods Enzymol.** 77: 177-188, 1981. PMID: 6799733
7. Tukey RH, Tephly TR. Purification and properties of rabbit liver estrone and p-nitrophenol UDP-glucuronyltransferases. **Arch Biochem Biophys.** 209: 565-578, 1981. PMID: 6794456
8. Tukey RH, Nebert DW, Negishi M. Structural gene product of the [Ah] complex. Evidence for transcriptional control of cytochrome P1-450 induction by use of a cloned DNA sequence. **J Biol Chem.** 256: 6969-6974, 1981. PMID: 6263927
9. Chen Y-T, Lang M, Tukey RH, Negishi M, Sidransky E, Guenther TM, Nebert DW. Similarities between mouse and rat-liver microsomal cytochromes P-450 induced by 3-methylcholanthrene. Evidence from catalytic, immunologic, and recombinant DNA studies. **Eur J Biochem.** 122: 361-368, 1982. PMID: 7082463
10. Tukey RH, Falany C, Robinson R, Tephly TR. A procedure for the rapid separation and purification of UDP-glucuronosyltransferases from rabbit liver microsomes. **Drug Metab Dispos.** 10: 97-101, 1982. PMID: 6124411
11. Tukey RH, Hannah R, Negishi M, Nebert DW, Eisen H. The *Ah* Locus: correlation of intranuclear appearance of inducer-receptor complex with induction of cytochrome P1-450 mRNA. **Cell.** 31: 275-284, 1982. PMID: 6186383
12. Tukey RH, Negishi M, Nebert DW. Quantitation of hepatic cytochrome P1-450 mRNA with the use of a cloned DNA probe. Effects of various P-450 inducers in C57BL/6N and DBA/2N mice. **Mol Pharmacol.** 22: 779-786, 1982. PMID: 7155135
13. Tukey RH, Nakamura M, Chen Y-T, Negishi M, Nebert DW. Genetic regulation of P-450 induction in the mouse. Studies with a cloned DNA sequence. In: Microsomes, Oxidations

- and Drug Toxicity (R. Sato and R. Kato, eds.), p. 353, Japan Scientific Societies Press, Tokyo, 1982.
14. Lang MA, Chen Y-T, Tukey RH, Sidransky E, Negishi M, Nebert DW. Rat liver P1-450 and P-448 appear to be very similar to these same two cytochromes in mouse liver. In: Microsomes Oxidations and Drug Toxicity (R. Sato and R. Kato, eds.), p. 575, Japan Scientific Societies Press, Tokyo, 1982.
 15. Negishi M, Chen Y-T, Tukey RH, Kisliuk BM, Nebert DW. Expression and subcellular distribution of mouse P1-450 mRNA, as determined by molecular hybridization with cloned P1-450 DNA. In: Microsomes, Oxidations and Drug Toxicity (R. Sato and R. Kato, eds.), p. 577, Japan Scientific Societies Press, Tokyo, 1982.
 16. Ohyama T, Tukey RH, Negishi M, Nebert DW. Genetic regulation of mouse liver microsomal P2-450. In: Cytochrome P-450, Biochemistry, Biophysics and Environmental Implications (F. Hietanen, ed.), p.177, Elsevier/North-Holland Biomedical Press, Amersham, 1982.
 17. Negishi M, Altieri M, Nakamura M, Tukey RH, Ikeda T, Chen Y-T, Ohyama T, Nebert DW. Isolation and characterization of the mouse P1-450 chromosomal gene. In: Cytochrome P-450, Biochemistry, Biophysics, and Environmental Implications (F. Hietanen, ed.), p.119, Elsevier/North-Holland Biomedical Press, Amersham, 1982.
 18. Ikeda T, Altieri M, Nakamura M, Tukey RH, Nebert DW, Negishi M. Characterization of cytochrome P2-450 (20-S) mRNA. Association with the P1-450 genomic gene and differential response to the inducers 3-methylcholanthrene and isosafrole. **Eur J Biochem.** 134: 13-18, 1983. PMID: 6861755
 19. Nakamura M, Negishi M, Altieri M, Chen Y-T, Ikeda T, Tukey RH, Nebert DW. Structure of the mouse cytochrome P1-450 genomic gene. **Eur J Biochem.** 134: 19-25, 1983. PMID: 6861759
 20. Chowdhury JR, Chowdhury NR, Moscioni AD, Tukey R, Tephly T, Arias IM. Differential regulation of triiodothyronine of substrate-specific uridinediphosphoglucuronate glucuronosyl transferases in rat liver. **Biochim Biophys Acta.** 761: 58-62, 1983. PMID: 6416299
 21. Nebert DW, Tukey RH, Eisen HJ, Negishi M. Cloned cytochrome P-450 genes regulated by the Ah receptor. In: Gene Expression, p.187, Alan R. Liss, Inc., 1983.
 22. Nebert DW, Chen Y-T, Negishi M, Tukey RH. Cloning genes that encode drug-metabolizing enzymes: Developmental pharmacology and teratology. In: Developmental Pharmacology (S.M. MacLeod, A.C. Okey and S.P. Spielberg, eds.), p. 61-79, Alan R. Liss, Inc., New York, 1983. PMID: 6320222
 23. Nebert DW, Negishi M, Chen YT, Tukey RH. Cloning genes that encode inducible forms of P450. **Biochem Soc Trans.** 23: 99-101, 1984. PMID: 6705999
 24. Tukey RH, Lalley P, Nebert DW. Localization of the cytochrome P1-450 and P3-450 genes to mouse chromosome 9. **Proc. Natl. Acad. Sci. USA.** 81: 3163-3166, 1984. PMID: 6328503

25. Gonzalez F, Tukey RH, Nebert DW. Structural gene products of the Ah locus. Transcriptional regulation of cytochrome P1-450 and P3-450 mRNA levels by 3-methylcholanthrene. **Mol. Pharmacol.** 26: 117-121, 1984. PMID: 6749129
26. Tukey RH, Nebert DW. Regulation of mouse cytochrome P3-450 by the Ah receptor. Studies with a P3-450 cDNA clone. **Biochemistry** 23: 6003-6008, 1984. PMID: 6395889
27. Nebert DW, Nakamura M, Tukey RH, Negishi M. Cloning genes that encode enzymes which metabolize drug and chemical carcinogens. In: Biochemical Basis of Chemical Carcinogens, p. 89, Raven Press, New York, 1984.
28. Okino S, Quattrochi LC, Barnes HJ, Griffin KJ, Johnson EF, Tukey RH. Cloning and characterization of cDNAs encoding 2,3,7,8-tetrachlorodibenzo-*p*-dioxin-inducible rabbit mRNAs for cytochrome P-450 isozymes 4 and 6. **Proc Natl Acad Sci USA.** 82: 5312-5315, 1985. PMID: 2991917
29. Quattrochi LC, Okino S, Pendurthi U, Tukey RH. Cloning and isolation of human cytochrome P-450 cDNAs homologous to dioxin-inducible rabbit mRNAs encoding P-450 4 and P-450 6. **DNA.** 4: 395-400, 1985. PMID: 3000715
30. Tukey RH, Okino ST, Barnes HJ, Griffin KJ, Johnson EF. Multiple gene-like sequences related to the rabbit hepatic progesterone 21-hydroxylase cytochrome P-450 1. **J Biol Chem.** 260: 13347-13354, 1985. PMID: 3902818
31. Johnson EF, Finlayson MJ, Raucy J, Tukey RH. Characterization of the multiplicity of drug-metabolizing enzymes: Observations on cytochrome P-450 diversity. In: Proceedings of 9th International Congress of Pharmacology, London, England, p. 197, 1985.
32. Johnson EF, Finlayson MJ, Raucy J, Tukey RH. Purification and multiplicity of cytochrome P-450. In: Proceedings of 6th International Symposium on Microsomes and Drug Oxidations, Brighton, Sussex, England, p. 3, 1985.
33. Quattrochi LC, Pendurthi UR, Okino ST, Potenza C, Tukey RH. Human cytochrome P-450 4 mRNA and gene: part of a multigene family that contains Alu sequences in its mRNA. **Proc Natl Acad Sci USA.** 83: 6731-6735, 1986. PMID: 3462722
34. Johnson E.F, Finlyason M, Raucy J, Barnes H, Schwab GE, Griffin KJ, Tukey RH. Intraspecies individuality for the metabolism of steroids. **Xenobiotica.** 17: 275-285, 1987. PMID: 3577205
35. Johnson EF, Barnes H, Griffin KJ, Okino ST, Tukey RH. Characterization of a second gene product related to rabbit cytochrome P-450 1. **J Biol Chem.** 262: 5918-5923, 1987. PMID: 3032948
36. Okino ST, Pendurthi UR, Quattrochi LC, McBride OW, Tukey RH. Characterization of multiple human cytochrome P-450 1 cDNAs. The chromosomal localization of the gene and evidence for alternate RNA splicing. **J Biol Chem.** 262: 16072-16079, 1987. (*erratum published* 263: 2576, 1988) PMID: 3500169

37. Tukey RH, Okino ST, Pendurthi UR, Johnson EF, Quattrochi L. Differential regulation of human cytochrome P-450 genes. In: Proceedings of the VII International Symposium on Microsomes and Drug Oxidations. Adelaide, Australia (ed. Miners, Birkett, Drew and McManus) p. 55, Taylor and Francis Ltd. 1988.
38. Johnson EF, Schwab GE, Griffin KJ, Raucy J, Tukey R, Vickery L. Regulation of the biosynthesis and catalytic activity of steroid hydroxylases in rabbit liver. In: Proceedings of the VII International Symposium on Microsomes and Drug Oxidations. Adelaide, Australia. (ed. Miners, Birkett, Drew and Mcmanus) p. 96, Taylor and Francis 1988.
39. Quattrochi LC, Tukey RH. The human cytochrome *CYP1A2* gene contains regulatory elements responsive to 3-methylcholanthrene. **Mol Pharmacol.** **36**: 66-71, 1989. PMID: 2747632
40. Johnson EF, Finlayson M, Hujsak C, Pendurthi UR, Tukey RH. Genetic contributions to the variation among rabbits of liver microsomal deoxycorticosterone synthesis. **Arch Biochem Biophys.** **273**: 273-280, 1989. PMID: 2570549
41. Potenza C, Pendurthi UR, Strom DK, Schwab G, Johnson EF, Tukey RH. Regulation of the rabbit cytochrome *P450 3c* gene. Age-dependent expression and transcriptional activation by rifampicin. **J Biol Chem.** **264**: 16222-16228, 1989. PMID: 2777787
42. Johnson EF, Schwab GE, Griffin KJ, Pendurthi UR, Tukey RH. Genetic variability of cytochrome P-450 expression. In: Toxicological and Immunological Aspects of Drug Metabolism and Environmental Chemicals. Symposia Medica Hoechst 22, R.W. Estabrook, E. Lindenlaub, F. Oesch and A.L. de Weck (eds) F.K. Schattauer Verlag, Stuttgart-New York, pp 167-180, 1989.
43. McManus ME, Burgess WM, Veronese ME, Felton JS, Knize MG, Snyderwine EG, Quattrochi LC, Tukey RH. Metabolism of food derived mutagens and 2-acetylaminofluorene by purified rabbit and cDNA expressed human cytochromes P450. **Prog Clin Biol Res.** **340**: 139-147, 1990. PMID: 2392457
44. McManus ME, Burgess WM, Veronese ME, Huggert A, Quattrochi LC, Tukey RH. Metabolism of 2-acetylaminofluorene and benzo[a]pyrene and the activation of food derived heterocyclic amine mutagens by human cytochromes P450. **Cancer Res.** **50**: 3367-3376, 1990. PMID: 2334931
45. Manns MP, Griffin KI, Quattrochi LC, Sacher M, Thaler H, Tukey RH, Johnson EF. Identification of cytochrome P450IA2 as a human autoantigen. **Arch Biochem Biophys.** **280**: 229-232, 1990. PMID: 2353823
46. Tukey RH, Johnson EF. Molecular aspects of the drug metabolizing enzymes. In: Principles of Drug Action, 3rd edition. (eds. Pratt, W. and Taylor, P.) pp 423-468, Churchill Livingstone, Inc. 1990.
47. Pendurthi UR, Lamb G, Nguyen N, Johnson EF, Tukey RH. Characterization of the *CYP2C5* gene in 21L III/J rabbits. Allelic variation affects the expression of P450IIC5. **J Biol Chem.** **265**: 14662-14668, 1990. PMID: 2387874

48. Tukey RH, Okino ST. Quantitation of related gene products by nuclear run-on and northern blot analysis. **Methods Enzymol.** 206: 284-290, 1991. PMID: 1723783
49. Hapgood J, Cuthill S, Söderkvist P, Wilhelmsson A, Tukey RH, Johnson EF, Gustafsson J-A, Peollinger L. Liver cells contain constitutive DNase I-hypersensitive sites at the xenobiotic response elements 1 and 2 (XRE1 and -2) of the rat cytochrome *P-450IA1* gene and a constitutive, nuclear XRE-binding factor that is distinct from the dioxin receptor. **Mol Cell Biol.** 11: 4314-4323, 1991. PMID: 1652054
50. McKinnon RA, Hall P-M, Quattrochi LC, Tukey RH, McManus ME. Localization of CYP1A1 and CYP1A2 messenger RNA in normal human liver and hepatocellular carcinoma by *in situ* hybridization. **Hepatology.** 14: 848-856, 1991. PMID: 1657755
51. Johnson EF, Kronbach T, Muerhoff S, Griffin KJ, Pendurthi UR, Tukey RH. Multiple forms of rabbit cytochrome P-450: comparison of chemical, physical, immunological and biocatalytic properties. In: Molecular Aspects of Monooxygenases and Bioactivation of Toxic Compounds, E. Arinc (ed) Nato ASI Series, Plenum Publishing, New York, pp 23-84, 1991.
52. Fisher CW, Caudle DL, Martin-Wixtrom C, Quattrochi LC, Tukey RH, Waterman MR, Estabrook RW. High level expression of functional human cytochrome P450 1A2 in *Escherichia coli*. **FASEB J.** 6: 759, 1992. PMID: 1537466
53. Pendurthi UR, Tukey RH, Rao LVM. Characterization of a rabbit factor IX cDNA. **Thromb Res** 65: 177-186, 1992. PMID: 1579894
54. Okino ST, Pendurthi UC, Tukey RH. Phorbol esters inhibit the dioxin receptor-mediated transcriptional activation of the mouse *Cyp1A-1* and *Cyp1A-2* genes by 2,3,7,8-tetrachlorodibenzo-*p*-dioxin. **J Biol Chem.** 276: 6991-6998, 1992. PMID: 1313028
55. Strom DK, Postlind H, Tukey RH. Characterization of the rabbit *CYP1A1* and *CYP1A2* genes: developmental and dioxin-inducible expression of rabbit liver P450IA1 and P450IA2. **Arch Biochem Biophys.** 294:707-716, 1992. PMID: 1567227
56. Tassaneeyakul W, Mohamed Z, Birkett DJ, McManus ME, Tukey RH, Gonzalez FJ, Miners JO. Caffeine as a probe for human cytochromes P450: validation using cDNA-expression, immunoinhibition and microsomal kinetic and inhibitor techniques. **Pharmacogenetics.** 2: 173-183, 1992. PMID: 1306118
57. Postlind H, Vu TP, Tukey RH, Quattrochi LQ. Response of human *Cyp1*-luciferase plasmids to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin and polycyclic aromatic hydrocarbons. **Toxicol Appl Pharmacol.** 118: 255-262, 1993. PMID: 8442004
58. Quattrochi LC, Tukey RH. Nuclear uptake of the Ah (dioxin) receptor in response to omeprazole: transcriptional activation of the human *CYP1A1* gene. **Mol Pharmacol.** 43: 504-508, 1993. PMID: 8386305
59. Okino ST, Pendurthi UR, Tukey RH. 2,3,7,8-tetrachlorodibenzo-*p*-dioxin induces the nuclear translocation of two XRE binding proteins in mice. **Pharmacogenetics.** 3: 101-109, 1993. PMID: 8390902

60. Tassaneeyakul W, Birkett DJ, Veronese ME, McManus ME, Tukey RH, Quattrochi LC, Gelboin HV, Miners JO. Specificity of substrate and inhibitor probes for human cytochromes P450 1A1 and 1A2. **J Phar Exper Therap.** 265: 401-407, 1993. PMID: 8474022
61. Roberts-Thomson SJ, McManus ME, Tukey RH, Gonzalez FF, Holder GM. The catalytic activity of four expressed human cytochrome P450s towards benzo[a]pyrene and the isomers of its proximate carcinogen. **Biochem Biophys Res Commun.** 192:1373-1379, 1993. (erratum published 203: 1935, 1994). PMID: 8507205
62. Tukey RH, Nguyen NT, Green M, Tephly TR. Cloning and characterization of rabbit liver UDP-glucuronosyltransferase cDNAs. Developmental and inducible expression of the 4-hydroxybiphenyl *UGT2B13* gene. **J Biol Chem.** 268: 15260-15266, 1993. PMID: 8325897
63. Pendurthi UR, Okino ST, Tukey RH. Accumulation of the nuclear dioxin (Ah) receptor and transcriptional activation of the mouse *Cyp1a-1* and *Cyp1a-2* genes. **Arch Biochem Biophys.** 306: 65-69, 1993. PMID: 8215422
64. Sandhu P, Guo Z, Baba T, Martin MV, Tukey RH, Guengerich FP. Expression of modified human cytochrome P450 1A2 in *Escherichia coli*: stabilization, purification, spectral characterization, and catalytic activities of the enzyme. **Arch Biochem Biophys.** 309: 168-177, 1994. PMID: 8117105
65. Quattrochi LQ, Vu T, Tukey RH. The human *CYP1A2* gene and induction by 3-methylcholanthrene. A region of DNA that supports Ah-receptor binding and promoter-specific induction. **J Biol Chem.** 269: 6949-6954, 1994. PMID: 8120057
66. Tassaneeyakul W, Birkett DJ, McManus ME, Tassaneeyakul W, Veronese ME, Anderson T, Tukey RH, Miners JO. Caffeine metabolism by human hepatic cytochromes P450: contributions of 1A2, 2E1 and 3A isoforms. **Biochem Pharmacol.** 47: 1767-1776, 1994. PMID: 8204093
67. Guo Z, Gillman EMJ, Ohmori S, Tukey RH, Guengerich FP. Expression of modified human cytochrome P450 1A1 in *Escherichia coli*: effects of 5' substitution, stabilization, purification, spectral characterization, and catalytic properties. **Arch Biochem Biophys.** 312: 436-446, 1994. PMID: 8037457
68. Philipp T, Durazzo M, Trautwein C, Alex B, Straub P, Lamb G, Tukey RH, Manns M. Recognition of uridine diphosphate glucuronosyl transferases by LKM-3 antibodies in chronic hepatitis D. **Lancet.** 344: 578-581, 1994. PMID: 7914961
69. Lamb JG, Straub P, Tukey RH. Cloning and characterization of cDNAs encoding mouse Ugt1.6 and rabbit UGT1.6: differential induction by 2,3,7,8-tetrachlorodibenzo-*p*-dioxin. **Biochemistry.** 33: 10513-10520, 1994. PMID: 8068691
70. Tassaneeyakul W, Birkett DJ, Veronese ME, McManus ME, Tukey RH, Miners JO. Direct characterization of the selectivity of furafylline as an inhibitor of human cytochromes P450 1A1 and 1A2. **Pharmacogenetics.** 4: 281-284, 1994. PMID: 7894501

71. Shimada T, Gillam EMJ, Sandhu P, Tukey RH, Guengerich FP. Activation of procarcinogens by human cytochrome P450 enzymes expressed in *Escherichia coli*. Simplified bacterial systems for genotoxicity assays. **Carcinogenesis**. 15: 2523-2529, 1994. PMID: 7955101
72. Phillip T, Straub P, Durazzo M, Tukey RH, Manns MP. Molecular analysis of autoantigens in hepatitis D. **J Hepatol**. 22: 132-135, 1995. PMID: 7602065
73. Roberts-Thomson SJ, McManus ME, Tukey RH, Gonzalez FJ, Holder GM. Metabolism of polycyclic aza-aromatic carcinogens catalyzed by four expressed human cytochromes P450. **Cancer Res**. 55: 1052-1059, 1995. PMID: 7866988
74. Anderson JW, Rossi SS, Tukey RH, Vu T, Quattrochi LC. A biomarker, P450 RGS, for assessing the potential toxicity of organic compounds in environmental samples. **Envir Toxicol Chem**. 14:1159-1169, 1995. PMID: 23899179
75. Tassaneeyakul W, Birkett DJ, Edwards JW, Veronese ME, Tassaneeyakul W, Tukey RH, MacManus ME, Miners JO. Human cytochrome P450 isoform specificity in the regioselective metabolism of toluene and o-, m-, and p-xylene. **J Pharmacol Exp Ther**. 276: 101-108, 1996. PMID: 8558417
76. Miners JO, Coulter S, Tukey RH, Veronese ME, Birkett DJ. Cytochromes P450, 1A2, and 2C9 are responsible for the human hepatic O-demethylation of R- and S-naproxen. **Biochem Pharmacol**. 51: 1003-1008, 1996. PMID: 8866821
77. Ching MS, Bichara N, Blake CL, Ghabrial H, Tukey RH, Smallwood RA. Propranolol 4- and 5-hydroxylation and N-desisopropylation by cloned human cytochrome P4501A1 and P4501A2. **Drug Metab Dispos**. 24: 692-694, 1996. PMID: 8781788
78. Barwick JL, Quattrochi LC, Mills AS, Potenza C, Tukey RH, Guzelian PS. Trans-species gene transfer for analysis of glucocorticoid-inducible transcriptional activation of transiently expressed human CYP3A4 and rabbit CYP3A6 in primary cultures of adult rat and rabbit hepatocytes. **Mol Pharmacol**. 50: 10-16, 1996. PMID: 8700101
79. Chen Y-H, Tukey RH. Protein kinase C modulates regulation of the *CYP1A1* gene by the aryl hydrocarbon receptor. **J Biol Chem**. 271: 26261-26266, 1996. PMID: 8824276
80. Strassburg CP, Obermayer-Straub P, Alex B, Durazzo M, Rizzeto M, Tukey RH, Manns MP. Autoantibodies against glucuronosyltransferases differ between viral hepatitis and autoimmune hepatitis. **Gastroenterology**. 111: 1576-1586, 1996. PMID: 8942737
81. Yamaguchi Y, Kirita S, Baba T, Aoyama J, Touchi A, Tukey RH, Guengerich PF, Matsubara T. Identification of rat and human cytochrome P450 forms involved in the metabolism of thromboxane A2 antagonist (+)-S-145. **Drug Metab Dispos**. 25: 75-80, 1997. PMID: 9010633
82. Li Q, Lou X, Peyronneau M, Tukey RH. Expression and functional domains of rabbit liver UDP-glucuronosyltransferase 2B16 and 2B13. **J Biol Chem**. 272: 3272-3279, 1997. PMID: 9013565

83. Hammons GJ, Milton D, Stepps K, Guengerich FP, Tukey RH, Kadlubar FF. Metabolism of carcinogenic heterocyclic and aromatic amines by recombinant human cytochrome P450 enzymes. **Carcinogenesis**. 18: 851-854, 1997. PMID: 9111224
84. Clemente MG, Obermayer-Straub P, Meloni A, Strassburg CP, Arangino V, Tukey RH, De Virgiliis S, Manns MP. Cytochrome P450 1A2 is a hepatic autoantigen in autoimmune polyglandular syndrome type 1. **J Clin Endocrinol Metab**. 82: 1353-61, 1997. PMID: 9141515
85. Nguyen NT, Tukey RH. Baculovirus-directed expression of rabbit UDP-Glucuronosyltransferases in Spodoptera Frugiperda cells. **Drug Metab Dispos**. 25: 745-749, 1997. PMID: 9193877
86. Strassburg CP, Manns MP, Tukey RH. Differential down-regulation of the UDP-glucuronosyltransferase 1A locus is an early event in human liver and biliary cancer. **Cancer Res**. 57: 2979-2985, 1997. PMID: 9230212
87. Strassburg CP, Oldhafer K, Manns MP, Tukey RH. Differential expression of the *UGT1A* locus in human liver, biliary and gastric tissue: identification of UGT1A7 and UGT1A10 transcripts in extrahepatic tissue. **Mol Pharmacol**. 52: 212-220, 1997. PMID: 9271343
88. Bruck M, Li Q, Lamb JG, Tukey RH. Characterization of rabbit UDP-glucuronosyltransferase UGT1A7: tertiary amine glucuronidation is catalyzed by UGT1A7 and UGT1A4. **Arch Biochem Biophys**. 344: 357-364, 1997. (erratum published 348: 415, 1997) PMID: 9264550
89. Guengerich PP, Parikh A, Johnson EF, Richardson TH, Von Wachenfeldt C, Cosme J, Jung F, Strassburg CP, Manns MP, Tukey RH, Pritchard M, Fournel-Gigleuz S, Burchell B. Heterologous expression of human drug-metabolizing enzymes. **Drug Metab Dispos**. 25: 1234-1241, 1997. PMID: 9351898
90. Strassburg CP, Manns MP, Tukey RH. Expression of the *UDP-glucuronosyltransferase 1a* locus in human colon. Identification and characterization of the novel extrahepatic UGT1A8. **J Biol Chem**. 273: 8719-8726, 1998. PMID: 9535849
91. Strassburg CP, Nguyen N, Manns MP, Tukey RH. Polymorphic expression of the UDP-glucuronosyltransferase *UGT1A* gene locus in human gastric epithelium. **Mol Pharmacol**. 54: 647-654, 1998. PMID: 9765507
92. Morgan ET, Sewer MB, Iber H, Gonzalez FJ, Lee YH, Tukey RH, Okino S, Vu T, Chen YH, Sidhu JS, Omiecinski CJ. Physiological and pathophysiological regulation of cytochrome P450. **Drug Metab Dispos**. 26: 1232-40, 1998. PMID: 9860933
93. Strassburg CP, Nguyen N, Manns MP, Tukey RH. UDP-glucuronosyltransferase activities in human liver and colon. **Gastroenterology**. 116: 149-60, 1999. PMID: 9869613
94. Strassburg CP, Strassburg A, Nguyen N, Li Q, Manns MP, Tukey RH. Regulation and function of family 1 and family 2 *UDP-glucuronosyltransferase* genes (*UGT1A*, *UGT2B*) in human oesophagus. **Biochem J**. 338: 489-98, 1999. PMID: 10024527

95. Hiller A, Nguyen N, Strassburg CP, Li Q, Jainta H, Pechstein B, Ruus P, Engel J, Tukey RH, Kronbach T. Retigabine N-glucuronidation and its potential role in enterohepatic circulation. **Drug Metab Dispos.** 27: 605-12, 1999. PMID: 10220490
96. Nowell SA, Massengill, JS, Williams S, Radominska-Pandya A, Tephly TR, Cheng Z, Strassburg CP, Tukey RH, MacLeod SL, Lang NP, Kadlubar FF. Glucuronidation of 2-hydroxyamino-1-methyl-6-phenylimidazo[4, 5-b]pyridine by human microsomal UDP-glucuronosyltransferases: identification of specific UGT1A family isoforms involved. **Carcinogenesis.** 20: 1107-14, 1999. PMID: 10357796
97. Anderson JW, Jones JM, Steinert S, Sanders B, Means J, McMillin D, Vu T, Tukey R. Correlation of *CYP 1A1* induction, as measured by the P450 RGS biomarker assay, with high molecular weight PAHs in mussels deployed at various sites in San Diego bay in 1993 and in 1995. **Marine Environmental Research.** 48: 389-405, 1999.
98. Anderson JW, Jones JM, Hameedi J, Long E, Tukey RH. Comparative analysis of sediment extracts from NOAA's bioeffects studies by the biomarker, P450 Reporter Gene System. **Marine Environmental Research.** 48: 407-425, 1999.
99. Strassburg CP, Kneip S, Topp J, Obermayer-Straub P, Barut A, Tukey RH, Manns MP. Polymorphic gene regulation and interindividual variation of UDP-glucuronosyltransferase activity in human small intestine. **J Biol Chem.** 275: 36164-36171, 2000. PMID: 10748067
100. Tukey RH, Strassburg CP. Human UDP-glucuronosyltransferases: metabolism, expression, and disease. **Annu Rev Pharmacol Toxicol.** 40: 581-616, 2000. PMID: 10836148
101. Li Q, Tukey RH. Characterization of the UDP-Glucuronosyltransferase 1A locus in lagomorphs: evidence for duplication of the UGT1A6 gene. **Mol Pharmacol.** 58: 89-97, 2000. PMID: 10860930
102. Jones JM, Anderson JW, Tukey RH. Using the metabolism of PAHs in a human cell line to characterize environmental samples. **Environ Toxicol Pharmacol.** 8: 119-126, 2000. PMID: 10867371
103. Tukey RH, Strassburg CP. Genetic multiplicity of the human UDP-glucuronosyltransferases and regulation in the gastrointestinal tract. **Mol Pharmacol.** 59: 405-414, 2001. PMID: 11179432
104. Shipkova M, Strassburg CP, Braun F, Streit F, Gröne H-J, Armstrong VW, Tukey RH, Oellerich M, Wieland E. Glucuronide and glucoside conjugation of mycophenolic acid by human liver, kidney and intestinal microsomes. **Br J Pharmacol.** 132: 1027-1034, 2001. PMID: 11226133
105. Yueh MF, Nguyen N, Famourzadeh M, Strassburg CP, Oda Y, Guengerich PF, Tukey RH. The contribution of UDP-glucuronosyltransferase 1A9 on CYP1A2-mediated genotoxicity by aromatic and heterocyclic amines. **Carcinogenesis.** 22: 943-950, 2001. PMID: 11375903
106. Strassburg CP, Obermayer-Straub P, Li Q, Nguyen N, Tukey RH, Manns MP. Identification of cyclosporine A and tacrolimus glucuronidation in human liver and the

- gastrointestinal tract by a differentially expressed UDP-glucuronosyltransferase: UGT2B7. **J Hepatol.** 34: 865-872, 2001. PMID: 11451170
107. Vogel A, Kneip S, Barut A, Ehmer U, Tukey RH, Manns MP. Genetic link of hepatocellular carcinoma with polymorphisms of the UDP-glucuronosyltransferase UGT1A7 gene. **Gastroenterology.** 121: 1136-1144, 2001. PMID: 11677206
 108. Jones JM, Anderson JW, Wiegel JV, Tukey RH. Application of P450 reporter gene system (RGS) in the analysis of sediments near pulp and paper mills. **Biomarkers.** 6: 406-416, 2001. PMID: 23886312
 109. Strassburg CP, Strassburg A, Kneip S, Barut A, Tukey RH, Rodeck B, Manns MP. Developmental aspects of human hepatic drug glucuronidation in young children and adults. **Gut.** 50: 259-265, 2002. PMID: 11788570
 110. Strassburg A, Strassburg CP, Manns MP, Tukey RH. Differential gene expression of NAD(P)H: quinone oxidoreductase and NRH:quinone oxidoreductase in human hepatocellular and biliary tissue. **Mol Pharmacol.** 61: 320-325, 2002. PMID: 11809856
 111. Strassburg, CP, Vogel A, Kneip S, Tukey RH, Manns MP. Polymorphisms of the human UDP-glucuronosyltransferase (UGT) 1A7 gene in colorectal cancer. **Gut.** 50: 851-856, 2002. PMID: 12010889
 112. Huang YH, Galijatovic A, Nguyen N, Geske D, Beaton D, Green J, Green M, Peters WH, Tukey RH. Identification and functional characterization of UDP-glucuronosyltransferases UGT1A8*1, UGT1A8*2 and UGT1A8*3. **Pharmacogenetics.** 12: 287-97, 2002. PMID: 12042666
 113. Vogel A, Ockenga J, Ehmer U, Barut A, Kramer FJ, Tukey RH, Manns MP, Strassburg CP. Polymorphisms of the carcinogen detoxifying UDP-glucuronosyltransferase UGT1A7 in proximal digestive tract cancer. **Z Gastroenterol.** 40: 497-502, 2002. PMID: 12122597
 114. Tukey RH, Strassburg CP, Mackenzie PI. Pharmacogenomics of human UDP-glucuronosyltransferases and irinotecan toxicity. **Mol Pharmacol.** 62: 446-450, 2002. PMID: 12181419
 115. Yueh MF, Huang YH, Hiller A, Chen S, Nguyen N, Tukey RH. Involvement of the xenobiotic response element (XRE) in Ah receptor-mediated induction of human UDP-glucuronosyltransferase 1A1. **J Biol Chem.** 278: 15001-15006, 2003. PMID: 12566446
 116. Chen S, Nguyen N, Tamura K, Karin M, Tukey RH. The role of the Ah-receptor and p38 in benzo[a]pyrene-7,8-dihydrodiol and benzo[a]pyrene-7,8-dihydrodiol-9,10-epoxide induced apoptosis. **J Biol Chem.** 278: 19526-19533, 2003. PMID: 12637498
 117. Xie W, Yueh MF, Radomska-Pandya A, Saini SP, Negishi Y, Bottroff BS, Cabrera GY, Tukey RH, Evans RM. Control of steroid, heme, and carcinogen metabolism by nuclear pregnane X receptor and constitutive androstane receptor. **Proc Natl Acad Sci USA.** 100: 4150-4155, 2003. PMID: 12644700

118. Natsume Y, Satsu H, Hatsugai Y, Watanabe H, Sato R, Sahida H, Tukey RH, Shimizu M. Evaluation of Intestinal Dioxin Permeability Using Human Caco-2 Cell Monolayers. **Food Sci. Technol. Res.** **9**: 364-366, 2003.
119. Galijatovic A, Beaton D, Nguyen N, Chen S, Bonzo J, Johnson R, Maeda S, Karin M, Guengerich FP, Tukey RH. The human CYP1A1 gene is regulated in a developmental and tissue-specific fashion in transgenic mice. **J Biol Chem.** **279**: 23969-23976, 2004. PMID: 15037607
120. Chen S, Operana T, Bonzo J, Nguyen N, Tukey RH. ERK kinase inhibition stabilizes the aryl hydrocarbon receptor: implications for transcriptional activation and protein degradation. **J Biol Chem.** **280**: 4350-4359, 2005. PMID: 15572374
121. Bonzo JA, Chen S, Galijatovic A, Tukey RH. Arsenite inhibition of CYP1A1 induction by 2,3,7,8-tetrachlorodibenzo-p-dioxin is independent of cell cycle arrest. **Mol Pharmacol.** **67**: 1247-1256, 2005. PMID: 15630080
122. Machemer DE, Tukey RH. The role of protein kinase C in regulation of TCDD-mediated CYP1A1 gene expression. **Toxicol Sci.** **87**: 27-37, 2005. PMID: 15947024
123. Yueh M-F, Bonzo JA, Tukey RH. The role of Ah receptor in induction of human UDP-glucuronosyltransferase 1A1. **Methods in Enzymology**. Stegmaier, JR (ed.) Elsevier. pp. 75-91 (Volume 400, Chapter 5). 2005.
124. Chen S, Beaton DJ, Nguyen N, Senekeo-Effenberger K, Brace-Sinnokrak E, Argikar U, Remmel R, Trottier J, Barbier O, Ritter J, Tukey RH. Tissue-specific, inducible, and hormonal control of the human UDP-glucuronosyltransferase-1 (UGT1) locus. **J. Biol Chem.** **280**: 37547-37557, 2005. PMID: 16155002
125. Gonzalez FJ, Tukey RH. Drug metabolism. In: Goodman & Gilman's: The Pharmacological Basis of Therapeutics, 11th Edition. Brunton L. (ed.) McGraw-Hill. pp. 71-91 (Chapter 3). 2005.
126. Verreault M, Senekeo-Effenberger K, Trottier J, Bonzo JA, Bélanger J, Kaeding J, Staels B, Caron P, Tukey RH, Barbier O. The liver X-receptor alpha controls hepatic expression of the human bile acid-glucuronidating UGT1A3 enzyme in human cells and transgenic mice. **Hepatology**, **44**: 368-378, 2006. PMID:16871576
127. Operaña TN, Nguyen N, Chen S, Beaton D, Tukey RH. Human CYP1A1^{GFP} expression in transgenic mice serves as a biomarker for environmental toxicant exposure. **Tox. Sci.** **95**: 98-107, 2007. PMID: 17065433
128. Senekeo-Effenberger K, Chen S, Yueh MF, Brace-Sinnokrak E, Bonzo JA, Argikar U, Kaeding J, Trottier J, Remmel RP, Ritter JK, Tukey RH. Expression of the human UGT1 locus in transgenic mice by 4-chloro-6-(2,3-xylidino)-2-pyrimidinylthioacetic acid (WY-14643) and implications on drug metabolism through peroxisome proliferator-activated receptor alpha activation. **Drug Metabol. Dispos.** **35**: 419-27, 2007. PMID: 17151188
129. Bonzo JA, Belañger A, Tukey RH. The role of chrysin and the ah receptor in induction of the human UGT1A1 gene in vitro and in transgenic UGT1 mice. **Hepatology**. **45**: 349-60, 2007. PMID: 17256720

130. Operaña TN, Tukey RH. Oligomerization of the UDP-glucuronosyltransferase 1A proteins: homo- and heterodimerization analysis by fluorescence resonance energy transfer and co-immunoprecipitation. **J. Biol. Chem.** 282: 4821-4829, 2007. PMID: 17179145
131. Pezzoli K, Tukey RH, Sarabia H, Zaslavsky I, Miranda ML, Suk WA, Lin A, Ellisman M. The NIEHS environmental health sciences data portal: placing advanced technologies in service to vulnerable communities. **Environmental Health Perspectives.** **115**: 564-571, 2007. PMID: 17450225
132. Yueh MF, Tukey RH. Nrf2-Keap1 signaling pathway regulates human UGT1A1 expression in vitro and in transgenic *UGT1* mice. **J. Biol. Chem.** 282: 8479-58, 2007. PMID: 17259171
133. Nguyen N, Bonzo JA, Chen S, Chouinard S, Kelner MJ, Hardiman G, Belanger A, Tukey RH. Disruption of the *Ugt1* locus in mice resembles human Crigler-Najjar type I disease. **J. Biol. Chem.** 283: 7901-11, 2008. PMID: 18180294
134. Chouinard S, Yueh MF, Tukey RH, Giton F, Fiet J, Pelletier G, Barbier O, Bélanger A. Inactivation by UDP-glucuronosyltransferase enzymes: the end of androgen signaling. **J. Steroid Biochem Mol Biol.** 109: 247-53, 2008. PMID: 18467088
135. Savas U, Machermer DE, Hsu MH, Gaynor P, Lasker JM, Tukey RH, Johnson EF. Opposing roles of peroxisome proliferator-activated receptor alpha and growth hormone in the regulation of CYP4A11 expression in a transgenic mouse model. **J. Biol Chem.** 284: 16541-52, 2009. PMID: 19366684
136. Argikar UA, Senekeo-Effenberger K, Larson EE, Tukey RH, Remmel RP. Studies on induction of lamotrigine metabolism in transgenic UGT1 mice. **Xenobiotica.** 39: 826-835, 2009. PMID: 19845433
137. Cai H, Nguyen N, Peterkin V, Yang YS, Hotz K, La Placa DB, Chen S, Tukey RH, Stevens JC. A humanized UGT1 mouse model expressing the UGT1A1*28 allele for assessing drug clearance by UGT1A1-dependent glucuronidation. **Drug Metab Dispos.** 38: 879-86, 2010. PMID: 20124398
138. Fujiwara R, Nguyen N, Chen S, Tukey RH. Developmental hyperbilirubinemia and CNS toxicity in mice humanized with the *UDP glucuronosyltransferase 1 (UGT1)* locus. **Proc Natl Acad Sci USA.** 107: 5024-5029, 2010. PMID: 20194756
139. Yueh MF, Mellon PL, Tukey RH. Inhibition of human *UGT2B7* gene expression in transgenic mice by the constitutive androstane receptor. **Mol Pharmacol.** 79:1053-1060, 2011. PMID: 21415305
140. Vogel A, Ockenga J, Tukey RH, Manns MP, Strassburg CP. Genotyping of the *UDP-glucuronosyltransferase (UGT) 1A7* gene revisited. **Gastroenterology.** 140:1692-1693, 2011. PMID: 21440586
141. Gonzalez FJ, Coughtrie M, Tukey RH. Drug Metabolism. In: **Goodman & Gilman's: The Pharmacological Basis of Therapeutics**, 12th Edition. Brunton L. (ed.) McGraw-Hill. pp. 123-143 (Chapter 6) 2011.

142. Chen S, Yueh MF, Evans RM, Tukey RH. Pregnane-x-receptor controls hepatic glucuronidation during pregnancy and neonatal development in humanized *UGT1* Mice. **Hepatology.** 2: 658-667, 2012. PMID: 22371261
143. Li T, Yu RT, Atkins AR, Downes M, Tukey RH, Evans RM. Targeting the pregnane X receptor in liver injury. **Experts Opin Ther Targets.** 11: 1075-1083, 2012. PMID: 22913318
144. Yueh MF, Li T, Evans RM, Hammock B, Tukey RH. Triclocarban mediates induction of xenobiotic metabolism through activation of the constitutive androstane receptor alpha. **PLoS One.** 6: e37705, 2012. PMID: 22761658
145. Fujiwara R, Chen S, Karin M, Tukey RH. Reduced expression of UGT1A1 in intestines of humanized *UGT1* mice via inactivation of NF-kappa B leads to hyperbilirubinemia. **Gastroenterology.** 1: 109-118, 2012. PMID: 21983082
146. Konopnicki CM, Dickmann LJ, Tracy JM, Tukey RH, Wienkers LC, Foti RS. Evaluation of UGT protein interactions in human hepatocytes: effect of siRNA down regulation of UGT1A9 and UGT2B7 on propofol glucuronidation in human hepatocytes. **Arch Biochem Biophys.** 535: 143-149, 2013 PMID: 23562620.
147. Sumida K, Kawana M, Kouno E, Itoh T, Takano S, Narawa T, Tukey RH, Fujiwara R. Importance of UDP-glucuronosyltransferase 1A1 expression in skin and its induction by UVB in neonatal hyperbilirubinemia. **Mol. Pharmacol.** 84: 679-686, 2013. PMID: 23950218.
148. Katsuno Y, Sumida K, Itoh T, Tukey RH, Fujiwara R. Glucuronidation of drugs in humanized UDP-glucuronosyltransferase 1 mice: similarity with glucuronidation in human liver microsomes. **Pharmacol Res Perspect.** 1: e00002, 2013. PMID: 25505556.
149. Shibuya A, Itoh T, Tukey RH, Fujiwara R. Impact of fatty acids on human UDO-glucuronosyltransferase 1A1 activity and its expression in neonatal hyperbilirubinemia. **Sci Rep.** 10: 1038, 2013. PMID: 24104695
150. Chen S, Yueh MF, Bigo C, Barbier O, Wang K, Karin M, Nguyen N, Tukey RH. Intestinal glucuronidation protects against chemotherapy-induced toxicity by irinotecan (CPT-11). **Proc Natl Acad Sci USA.** 110: 19143-19148, 2013. PMID: 24191041.
151. Yueh MF, Chen S, Nguyen N, Tukey RH. Developmental onset of bilirubin-induced neurotoxicity involves toll-like receptor 2-dependent signaling in humanized *UDP-glucuronosyltransferase 1* mice. **J Biol Chem.** 289: 4699-4709, 2014. PMID: 24403077.
152. Maruo Y, Morioka Y, Fujito H, Nakahara S, Yanagi T, Matsui K, Mori A, Sato H, Tukey RH, Takeuchi Y. Bilirubin uridine diphosphate-glucuronosyltransferase variation is a genetic basis of breast milk jaundice. **J Pediatr.** 165: 36-41, 2014. PMID: 24650397
153. Kutsuno Y, Itoh T, Tukey RH, Fujiwara R. Glucuronidation of drugs and drug-induced toxicity in humanized UDP-glucuronosyltransferase 1 mice. **Drug Metab Dispos.** 42: 1146-52, 2014. PMID: 4053997.

154. Aoshima N, Fujie Y, Itoh T, Tukey RH, Fujiwara R. Glucose induces intestinal human UDP-glucuronosyltransferase (UGT) 1A1 to prevent neonatal hyperbilirubinemia. **Sci Rep.** **4**: 6343, 2014. PMID: 25209391.
155. Yueh MF, Taniguchi K, Chen S, Evans RM, Hammock BD, Karin M, Tukey RH. The commonly used antimicrobial additive triclosan is a liver tumor promoter. **Proc Natl Acad Sci USA.** **111**: 17200-5, 2014. PMID: 25404284.
156. Kutsuno Y, Hirashima R, Sakamoto M, Ushikubo H, Michimae H, Itoh T, Tukey RH, Fujiwara R. Expression of UDP-glucuronosyltransferase 1 (UGT1) and glucuronidation activity toward endogenous substances in humanized UGT1 mouse brain. **Drug Metab Dispos.** **43**: 1071-6, 2015. PMID: 25953521.
157. Landrigan PJ, Wright RO, Cordero JF, Eaton DL, Goldstein BD, Hennig B, Maier RM, Ozonoff DM, Smith MT, Tukey RH. The NIEHS Superfund Research Program: Twenty-five years of translational research for public health. **Environ Health Perspect.** 2015. PMID: 25978799.
158. Liu M, Chen S, Yueh MF, Want G, Hao H, Tukey RH. Reduction of p53 by knockout of the *UGT1* locus in colon epithelial cells causes an increase in tumorigenesis. **Cellular and Molecular Gastro and Hepatology.** IN PRESS
159. Barateiro A, Chen S, Fernandes A, Domingues HS, Relvas J, Barbier O, Nguyen N, Tukey RH, Brites D. Reduced myelination and increased glia reactivity resulting from severe neonatal hyperbilirubinemia. **Mol Pharmacol.** IN PRESS
160. Yueh MF, Tukey RH. Triclosan: A widespread environmental toxicant with many biological effects. **Annu Rev Pharmacol Toxicol.** IN PRESS
161. Gonzalez FJ, Coughtrie M, Tukey RH. Drug Metabolism. In: **Goodman & Gilman's: The Pharmacological Basis of Therapeutics**, 12th Edition. Brunton L. (ed.) McGraw-Hill. In Submission
162. Touboul T, Chen S, Tukey RH, Laurent L. Stage-specific regulation of the WNT/ β -catenin pathway results in improved differentiation of hESCs to functional hepatocytes. **J. Hepatology.** In Submission.